

HARVIA CLUB PRO

HRL200400

The Harvia Profi heater is designed to be a super heater that provides ample steam for large groups from morning till night. The heater is suitable for apartment buildings, hotels, holiday resorts, sports centres and spas etc.



Features

Main material : Steel


H x W x D : 730.0 x 500.0 x 900.0 mm

Net weight (kg) : 48.0

Installation location : Floor

ID	GTIN	Output (kW)	Sauna room size min - max m3
HRL200400	6410082607402	20 kW	18.0-30.0

Related products



SFE-500500


Spare parts

Product	ID	Pcs
Heating element 1750W/240V	ZSK-732	12
Cable set Profi	ZL-230	
Packaging box L	ZL-240	
Furnace grate KG	ZSL-634	
Heating element 1750W 240V	SPZSK-732	

Technical details

Technical data	Type / attribute	HRL200400
	Color	Stainless Steel
	Power output	20 kW
	Stone sizes	Ø5–10 cm
	Stone amount (kg)	100
	Dimensions	Product width
Product height		730
Product depth (mm)		900
Net weight (kg)		48
Gross weight		51.4
Package width		545
Package height		790
Safety and installation dimensions	Package depth	950
	Safety distance front (non-combustible materials)	100
	Safety distance front (combustible materials)	100
	Safety distance side (non-combustible materials)	160
	safety distance to the side wall (combustible materials)	160
	Safety distance behind (non-combustible materials)	160
	Safety distance (Ceiling)	1400
	Room min. height(depends on connections and therefore from output, star/delta)	2100
	Installation opening height	2130
Installation opening width	760	
Installation opening depth	1160	


Technical images



The heater's electrical connections
Elektroanschlüsse des Saunaofens


SPARE PARTS

ERSATZTEILE



Model Modell	Heating element/Part no. Heizelement/Teil nr.				
	1750 W/240 V ZSK-732	2000 W/240 V ZSL-313	2500 W/230 V ZSL-314	2670 W/240 V ZSL-316	3000 W/240 V ZSL-318
L20	1-12				
L26		1, 3, 5, 7, 9, 11	2, 4, 6, 8, 10, 12		
L30			1-12	(1-12)	
L33					1-12

We recommend to use only the manufacturer's spare parts.
Es dürfen ausschließlich die Ersatzteile des Herstellers verwendet werden.



Safety distances (all dimensions in millimeters)